

**Allied Concrete**

# READY Products


Sealers, Acids,  
Thinners



# Sealers and Colour

Sealers have the advantage of providing an attractive shine and professional finish to concrete while protecting it from staining, or marking. See the swatch below as an example of how sealers can enhance the colour of your concrete.

These products are available from your local Allied Concrete plant, and come with full instructions to enable you to achieve a great result.



Some variation in colour and texture will occur, see our full colour range under Ready Colour in this booklet.

# Ready Products Range



## Ready Acid (20L)

- Concentrated acid solution to prepare concrete for sealing
- Removes laitance and salts from new concrete
- Treatment is required to maximise sealer adhesion and long-term performance
- Easy to use



## Ready Sealer - solvent based (20L/200L)

- Contains high quality resin giving a durable long lasting coating
- 'Wet look' finish
- For internal and external use
- Suitable for vehicular traffic areas - perfect for driveways and garages
- Easy to apply and quick drying



## Ready Sealer - water based (20L/200L)

- Contains high quality resin giving a durable long lasting coating
- 'Natural look' finish
- Very low VOC
- For internal and external use
- Easy to apply and clean up with water
- Note: Not suitable for vehicular traffic areas



## Ready Thinner (20L)

- For cleaning tools used in the application of Ready Sealer (solvent based)
- Improves penetration of Ready Sealer (solvent based) on dense surfaces
- Improves application of sealer in warmer conditions
- Note: Thinning sealers decrease their durability and performance

The logo for Allied Concrete features the word "Allied" in a bold, white, sans-serif font, with a stylized orange and white graphic element to its left. Below "Allied" is the word "Concrete" in a larger, white, sans-serif font.

# Allied Concrete

Consult your Allied Concrete  
representative for specialised  
information.

**0800 4 ALLIED**

0800 425 5433

**[www.alliedconcrete.co.nz](http://www.alliedconcrete.co.nz)**